# **WEST Search History**



DATE: Monday, December 06, 2004

Hide?	<u>Set</u> Name	Query	<u>Hit</u> Count
	DB=I	PGPB; PLUR=YES; OP=ADJ	
	L41	(CAD or microsoft or geometric or project or project schedule or excel or proengineer or solidworks or powerpoint)with (conver\$6 or translat\$4) with (independent or neutral or platform-independent or platform independent) same client same server	1
	DB = 0	USPT; PLUR=YES; OP=ADJ	
<u>.</u>	L40	(CAD or microsoft or geometric or project or project schedule or excel or proengineer or solidworks or powerpoint)with (conver\$6 or translat\$4) with (independent or neutral or platform-independent or platform independent) same client same server	2
	L39	L38 and 137	12
	L38	709/\$.ccls.	16728
	L37	(CAD or microsoft or geometric or project or project schedule or excel or proengineer or solidworks or powerpoint)same (conver\$6 or translat\$4) same (independent or neutral or platform-independent or platform independent)	348
Ē	L36	receiv\$3 near5(CAD or microsoft or geometric or project or project schedule or excel or proengineer or solidworks or powerpoint)same (conver\$6 or translat\$4) same (independent or neutral or platform-independent or platform independent)	6
	L35	receiv\$3 near5(CAD or microsoft or geometric or project or project schedule or excel or proengineer or solidworks or powerpoint)same (conver\$6 or translat\$4) same (independent or neutral or platform-independent)	6
	L34	receiv\$3 near5(CAD or microsoft or geometric or project or project schedule or excel or proengineer or solidworks or powerpoint)same (conver\$6 or translat\$4) same (independent or neutral or platform-independent) same (transfer\$4 or transmit\$4 or forward\$4)	4
	L33	(conver\$6 or translat\$4) same (CAD or microsoft or geometric or project or project schedule or excel or proengineer or solidworks or powerpoint)same (independent or neutral or platform-independent) same bid\$4	1
	L32	(conver\$6 or translat\$4) same (CAD or microsoft or geometric or project or project schedule or excel or proengineer or solidworks or powerpoint)same (independent or neutral or platform-independent) same notif\$10	1
	L31	(conver\$6 or translat\$4) with CAD with(independent or neutral or platform-independent) with (format or form)	6
	L30	129 and (conver\$6 or translat\$6)	4
	L29	6295513[uref]	11
	L28	L27 same client same (server or site or web server)	10
		(conver\$6 or translat\$4) same (source code or CAD or microsoft or geometric or	

	L27	project or project schedule or excel or proengineer or solidworks or powerpoint) same (independent or neutral or platform-independent)	489
	L26	L25 and 117	3
	L25	(conver\$6 or translat\$4) same (CAD or microsoft or geometric or project or project schedule or excel or proengineer or solidworks or powerpoint)same (independent or neutral or platform-independent)near5 (format or form or language or application or software pr prgram)	46
	L24	L22 and 119	3
	L23	L22 and 117	0
	L22	receiv\$3 near5 (CAD or microsoft or software or project or project schedule or excel or proengineer or solidworks )same(conver\$6 or translat\$4)same (independent or neutral or platform-independent)	38
	L21	receiv\$3 near5 (CAD or microsoft or software or project or project schedule or excel or proengineer or solidworks) same(conver\$6 or translat\$4) same (independent or neutral or platform-independent) same (transfer\$4 or transmit\$4 or forward\$4) same (server or web server) same notif\$6	0
	L20	L19 and 116	26
	L19	715/\$.ccls.	12261
	L18	L17 and 116	70
	L17	717/\$.ccls.	4680
	L16	(application or CAD or microsoft or project or project schedule or excel or proengineer or solidworks) same(conver\$6 or translat\$4) same (independent or neutral or platform-independent) near5 (format or form)	296
<b></b>	L15	(accept\$3 or receiv\$4 or provid\$4) same (application or CAD or microsoft or project or project schedule or excel or proengineer or solidworks )same (conver\$6 or translat\$4)same (independent or neutral or platform-independent) near5 (format or form) same(transfer\$4 or transmit\$4 or forward\$4)	19
Ō.	L14	(accept\$3 or receiv\$4 or provid\$4) same (application or CAD or microsoft or project or project schedule or excel or proengineer or solidworks )same (conver\$6 or translat\$4)same (independent or neutral or platform-independent) near5 (format or form) same(transfer\$4 or transmit\$4 or forward\$4) same (server or web server)	3
	L13	(accept\$3 or receiv\$4 )near5 (application or cad or microsoft project or project schedule or excel or proengineer or solidworks)same(conver\$6 or translat\$4) same (independent or neutral) same(transfer\$4 or transmit\$4 or forward\$4) same (server or web server)	10
<b></b>	L12	(accept\$3 or receiv\$4 )near5 (client or interface or browser)same (application or cad or microsoft project or project schedule or excel or proengineer or solidworks)same(conver\$6 or translat\$4)same (independent or neutral) near5 format	3
	L11	(accept\$3 or receiv\$4 )near5 (client or interface or browser)same (application or cad microsoft project or project schedule or excel or proengineer or solidworks) same(conver\$6 or translat\$4)same (independent or neutral) near5 format	3
	L10	(conver\$6 or translat\$4)near5 source code same (independent or neutral ) near5 format	. 5
		(conver\$6 or translat\$4)near5 source codes same (independent or neutral ) near5	

	L9	format	5
	L8	(conver\$6 or translat\$4)near5 source codes same (independent or neutral) near5 format same (transfer\$4 or transmit\$4 or forward\$4) same (server or web server)	0
	L7	(application or code or source or structured data) same (conver\$6 or translat\$4) same (independent or neutral) same (transfer\$4 or transmit\$4 or forward\$4) same (server or web server)	63
	L6	(application or code or source or structured data) same (conver\$6 or translat\$4) near5(independent or neutral) same (transfer\$4 or transmit\$4 or forward\$4) near5 (server or web server)	1
	L5	(accept\$3 or receiv\$4 )near5 (client or interface or browser)same (conver\$6 or translat\$4) same(data or application or code or source) near5(independent or neutral)	54
	L4	(accept\$3 or receiv\$4 )near5 (client or interface or browser)same (conver\$6 or translat\$4) same(data or application or code or source) same(independent or neutral) same (transfer\$4 or transmit\$4 or forward\$4) near5 (server or web server)	6
<b>6</b>	L3	(accept\$3 or receiv\$4 )near5 (client or interface or browser)same (conver\$6 or translat\$4) with(data or application or code or source) with(independent or neutral) same (transfer\$4 or transmit\$4 or forward\$4) near5 (server or web server)	1
<b>.</b>	L2	(conver\$6 or translat\$4) with(data or application or code or source) with (independent or neutral)	3089
-	L1	(conver\$6 or translat\$4) same (data or application or code or source) same (independent or neutral)	14726

### END OF SEARCH HISTORY

# **WEST Search History**

Hide Items Restore Clear Cancel

DATE: Monday, December 06, 2004

Hide?	<u>Set</u> Name	Query	<u>Hit</u> Count
	DB=0	USPT; PLUR=YES; OP=ADJ	
	L30	129 and (conver\$6 or translat\$6)	4
	L29	6295513[uref]	11
	L28	L27 same client same (server or site or web server)	10
	L27	(conver\$6 or translat\$4) same (source code or CAD or microsoft or geometric or project or project schedule or excel or proengineer or solidworks or powerpoint) same (independent or neutral or platform-independent)	489
	L26	L25 and 117	3
	L25	(conver\$6 or translat\$4) same (CAD or microsoft or geometric or project or project schedule or excel or proengineer or solidworks or powerpoint)same (independent or neutral or platform-independent)near5 (format or form or language or application or software pr prgram)	46
	L24	L22 and 119	3
	L23	L22 and 117	0
	L22	receiv\$3 near5 (CAD or microsoft or software or project or project schedule or excel or proengineer or solidworks )same(conver\$6 or translat\$4)same (independent or neutral or platform-independent)	38.
	L21	receiv\$3 near5 (CAD or microsoft or software or project or project schedule or excel or proengineer or solidworks )same(conver\$6 or translat\$4)same (independent or neutral or platform-independent) same (transfer\$4 or transmit\$4 or forward\$4) same (server or web server) same notif\$6	0
	L20	L19 and l16	26
	L19	715/\$.ccls.	12261
	L18	L17 and 116	70
	L17	717/\$.ccls.	4680
	L16	(application or CAD or microsoft or project or project schedule or excel or proengineer or solidworks )same(conver\$6 or translat\$4)same (independent or neutral or platform-independent) near5 (format or form)	296
	L15	(accept\$3 or receiv\$4 or provid\$4) same (application or CAD or microsoft or project or project schedule or excel or proengineer or solidworks) same (conver\$6 or translat\$4)same (independent or neutral or platform-independent) near5 (format or form) same(transfer\$4 or transmit\$4 or forward\$4)	19
	L14	(accept\$3 or receiv\$4 or provid\$4) same (application or CAD or microsoft or project or project schedule or excel or proengineer or solidworks) same (conver\$6 or translat\$4)same (independent or neutral or platform-independent) near5 (format or form) same(transfer\$4 or transmit\$4 or forward\$4) same	3

		(server or web server)	
	L13	(accept\$3 or receiv\$4 )near5 (application or cad or microsoft project or project schedule or excel or proengineer or solidworks)same(conver\$6 or translat\$4) same (independent or neutral) same(transfer\$4 or transmit\$4 or forward\$4) same (server or web server)	10
	L12	(accept\$3 or receiv\$4 )near5 (client or interface or browser)same (application or cad or microsoft project or project schedule or excel or proengineer or solidworks)same(conver\$6 or translat\$4)same (independent or neutral) near5 format	3
	L11	(accept\$3 or receiv\$4 )near5 (client or interface or browser)same (application or cad microsoft project or project schedule or excel or proengineer or solidworks) same(conver\$6 or translat\$4)same (independent or neutral) near5 format	3
	.L10	(conver\$6 or translat\$4)near5 source code same (independent or neutral ) near5 format	5
	L9	(conver\$6 or translat\$4)near5 source codes same (independent or neutral) near5 format	5
	L8	(conver\$6 or translat\$4)near5 source codes same (independent or neutral) near5 format same (transfer\$4 or transmit\$4 or forward\$4) same (server or web server)	0
	L7	(application or code or source or structured data) same (conver\$6 or translat\$4) same (independent or neutral) same (transfer\$4 or transmit\$4 or forward\$4) same (server or web server)	63
	L6	(application or code or source or structured data) same (conver\$6 or translat\$4) near5(independent or neutral) same (transfer\$4 or transmit\$4 or forward\$4) near5 (server or web server)	1
	L5	(accept\$3 or receiv\$4 )near5 (client or interface or browser)same (conver\$6 or translat\$4) same(data or application or code or source) near5(independent or neutral)	54
	L4	(accept\$3 or receiv\$4 )near5 (client or interface or browser)same (conver\$6 or translat\$4) same(data or application or code or source) same(independent or neutral) same (transfer\$4 or transmit\$4 or forward\$4) near5 (server or web server)	6
<b>-</b>	L3	(accept\$3 or receiv\$4 )near5 (client or interface or browser)same (conver\$6 or translat\$4) with(data or application or code or source) with(independent or neutral ) same (transfer\$4 or transmit\$4 or forward\$4) near5 (server or web server)	1
	L2	(conver\$6 or translat\$4) with(data or application or code or source) with (independent or neutral)	3089
	Ļ1	(conver\$6 or translat\$4) same (data or application or code or source) same (independent or neutral)	14726

### END OF SEARCH HISTORY

# **WEST Search History**



DATE: Monday, December 06, 2004

Hide?	<u>Set</u> Name	Query	Hit Count
	DB=I	PGPB; PLUR=YES; OP=ADJ	
	L4	20040225958	1
,	DB=0	USPT; PLUR=YES; OP=ADJ	
	L3	<b>60</b> 03046.pn.	1
	L2	6182095.pn. or 6182092.pn. or 6160552.pn. or 6128619.pn. or 6128611.pn. or 6105044.pn. or 6094649.pn. or 6092074.pn. or 6088717.pn. or 6085196.pn. or 6073144.pn. or 6052531.pn. or 5973695.pn. or 5953525.pn. or 5933841.pn. or 5911145.pn. or 5835898.pn. or 5708806.pn. or 5530852.pn. or 5220657.pn.	20
Ţ	L1	6170081.pn.	1

END OF SEARCH HISTORY